This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.



3.2

FIG. 1






FIG. 3





FIG. 4



ð

FIG. 5






FIG. 6



ð



ø

FIG. 8




FIG. 9





FIG. 10







FIG. 12

1300

<u>1401</u>	PROVIDING A DATABASE OF FIRST OR UNMODIFIED SHAPES
<u>1403</u>	PROVIDING A DATABASE OF CORRESPONDING SECOND OR MODIFIED SHAPES
	1
<u>1405</u>	ALIGNING EACH OF SAID FIRST OR UNMODIFIED SHAPES TO THE SAME ORIENTATION
	↓
<u>1407</u>	ALIGNING EACH SECOND OR MODIFIED SHAPES AND THE CORRESPONDING FIRST OR UNMODIFIED SHAPE
	↓
<u>1409</u>	NORMALIZE DATA
	1
1411	UTILIZING PRINCIPAL COMPONENT ANALYSIS WITH
	ALIGNED FIRST OR UNMODIFIED SHAPES AND
	CORRESPONDING ALIGNED SECOND OR MODIFIED
	SHAPES TO DETERMINE PCA COEFFICIENTS
<u>1413</u>	PROVIDING OR MORE NEURAL NETWORK
	↓
<u>1415</u>	TRAINING NEURAL NETWORK WITH A LEAST SQUARES
	SUPPORT VECTOR MACHINE
	↓
1417	UTILIZING TRAINED NEURAL NETWORK TO
	OPERATE ON A NEW UNMODIFIED SHAPE TO
	PRODUCE A CORRESPONDING MODIFIED SHAPE

	Hyperparameter	en an analysis of the second of the second
PCA Coefficient	Gamma	Sigma
1	20	33
2	32	77
3	17	107
4	68	86
5	47	47
6	32	122
7	62	62
8	92	92
9	56	134
10	77	77
11	62	50
12	92	92
13	62	92
14	77	152
15	77	77
16	107	62
17	77	62
18	137	32
19	77	62
20	68	47
21	92	62
22	107	77
23	173	83
24	122	62
25 26 27	122	122
26	62	107
27	62	92
28	122	68
29	182	116
30	182	128
31	92	38
32	182	92
33	182	92
34	152	152
3 5	182	92
36	182	122
37	128	122
38	152	152
39 - 64	160	125

FIG. 14






FIG. 16




FIG. 17





FIG. 18

Unmodified Shape



Principal Components Analysis






FIG. 19

Unmodified Shape



Principal Components Analysis



<u>1001</u>	PRODUCE CAST OF FIRST SHAPE
<u>1003</u>	PRODUCE CAST OF SECOND CORRESPONDING SHAPE
<u>1005</u>	DIGITALLY CAPTURE FIRST SHAPE
<u>1007</u>	PRODUCE FIRST DIGITAL DATA
<u>1009</u>	STORE FIRST DIGITAL DATA IN DATABASE
<u>1011</u>	DIGITALLY CAPTURE CORRESPONDING SECOND SHAPE
<u>1013</u>	PRODUCE SECOND DIGITAL DATA
<u>1015</u>	STORE SAID SECOND DIGITAL DATA IN SAID DATABASE
<u>1017</u>	PROVIDE ONE TO ONE CORRESPONDENCE BETWEEN EACH FIRST DIGITAL DATA AND CORRESPONDING SECOND DIGITAL DATA
<u>1019</u>	STORE TYPE, STYLE AND FEATURE DATA
<u>1021</u>	STORE TRIMLINE DATA

FIG. 21

<u>1401</u>	PROVIDING A DATABASE OF FIRST OR UNMODIFIED SHAPES
<u>1403</u>	PROVIDING A DATABASE OF CORRESPONDING SECOND
	OR MODIFIED SHAPES
2201	PROVIDING A DATABASE OF CORRESPONDING
<u>2201</u>	
	TYPE, STYLE AND FEATURES
2203	PROVIDING TRIMLINE DATABASE
1405	ALIGNING EACH OF SAID FIRST OR UNMODIFIED SHAPES TO
1100	THE SAME ORIENTATION
	1
	▼
<u>1407</u>	ALIGNING EACH SECOND OR MODIFIED SHAPES AND THE
	CORRESPONDING FIRST OR UNMODIFIED SHAPE
	↓
<u>1409</u>	UTILIZING PRINCIPAL COMPONENT ANALYSIS WITH
	EACH ALIGNED FIRST OR UNMODIFIED SHAPE AND
	CORRESPONDING ALIGNED SECOND OR MODIFIED
	SHAPES TO DETERMINE PCA COEFFICIENTS
	★
<u>1411</u>	PROVIDING ONE OR MORE NEURAL NETWORKS
	1
<u>1413</u>	TRAINING NEURAL NETWORK WITH A LEAST SQUARES
	SUPPORT VECTOR MACHINE TO PRODUCE SECOND
	SHAPES FROM FIRST SHAPES
<u>2205</u>	TRAINING THE NEURAL NETWORK TO SELECT A
	CORRESPONDING TYPE, STYLE AND FEATURES
2207	TD A INTENDED AT A DETWOOD TO DECOURSE TRIBE
<u> </u>	TRAINING NEURAL NETWORK TO PROVIDE TRIMLINES
2200	UTILIZING NEURAL NETWORKS TO PRODUCE CRANIAL
<u>2209</u>	REMODELING DEVICE




FIG. 23




FIG. 24




FIG. 25